

Toilet partitions
Innova

by  Lamitech

99,7%
Less microbes



antimicrobial



Features

Antimicrobial toilet partitions solution, made of compact; thick and solid high pressure laminate. Design and functionality for washrooms and high humidity areas.

All our installation systems offer the following advantages:

 Certified products, under global health and safety standards and procedures.

 Carbon neutral. Produced under a system that measures, controls and balances emissions. We compensate our footprint and favor the environment.

 Antimicrobial
Our wide range of HPL contains antimicrobial technology to preserve the surface from degradation caused by antimicrobial growth.

 Moisture resistant.

 High resistance to impact.

 Inert material, preventing the growth of fungi, or moss on the surface.

 No substrate required.

Our laminates are available under the following standards:

-  - ASTM E84: Class B for standard Compact or Class A when specified as fire rated.
- EN13501-1: B-S1, d0 for compact of 10 mm and above.

 Easy to clean with all kinds of non-abrasive liquid detergents, disinfectants and solvents commonly used.

 Customizable with digital print. Ask our representatives for more info.

 Available on our wide range of colors and designs. Contact our representatives.

 Fast Installation.

 Double-side design.

Applications

Toilet partitions, showers, dressing rooms, urinals. Partitions can be mounted from wall to floor or floor to ceiling and they can be leveled during the installation process.

Ideal for shopping malls, airports, universities, schools, hospitals, restaurants.

In the production of our Innova toilet partitions, aluminum and stainless steel fittings are used, which have high strength and durability in wet environments.

The system is set to the anthropometrically established architectural standards. Variations in size and design are responsibility of the architect of the project.

Dimensions

	Width	Standard System Height	Balance System Height	AL Plus System Height
Continous division panels	4'11" (up to 1500 mm)	5' 11" (1800 mm)	5' 11" (1800 mm)	5' 10" (1785 mm)
Corner division panels	4'11" (up to 1500 mm)	5' 11" (1800 mm)	Does not apply	5' 11" (1800 mm)
Doors	1'12" (600 mm)	5' 11" (1800 mm)	6' 3" (1900 mm)	5' 8" (1720 mm)
Minimum width for disabled people	2'12" (900 mm)	5' 11" (1800 mm)	6' 3" (1900 mm)	5' 8" (1720 mm)
Studs	12" (300 mm)	5' 11" (1800 mm)	6' 7" (2000 mm)	5' 11" (1800 mm)
	6" (150 mm)			
Urinal divisions	1'6" (450 mm)	3' 11" (1200 mm)	3' 11" (1200 mm)	


Dimensions may be subject to change according to project specification.

We have 3 different systems depending on the required application:



1 Standard System

- Toilet partition system made of our 0,47'' (12 mm) Compact HPL. It uses stainless steel fittings.
- It features pin lock and a knob for opening and closing the door.
- It is hinged to allow a 180° door opening.
- Each cabin has a hanger and door stop to limit the opening if required.
- The system is equipped with an upper tube that ensures the stability of the cabin.
- This system has a standard height of 6' 11'' (2100 mm), counting headrails and legs.



With Innova avoid microbes can cause stains, which in many cases can be irreversible.



Our antimicrobial technology provides continuous, **around-the-clock protection** against microbial colonisation.

1

Standard System Composition



*This image shows a scale prototype. It does not represent actual size.



antimicrobial

Our wide range of HPL contains antimicrobial agents coated on glass beads eliminating the possibility of leaching or unintentional contamination.

More info here



2 Balance System

- Toilet partition system with a cleaner and more uniform appearance. Made of our 0,47'' (12 mm) Compact HPL.
- It has an upper support lintel made of Compact laminate that ensures the stability of the cabin.
- It is hinged to allow an 90° door opening and uses stainless steel hardware.
- Each cabin has a hanger and an interior door overlap for privacy.
- It has an open/closed lock indicator and handle.
- Includes fastening hardware and adjustable support legs.
- This system has a standard height of 6' 11'' (2100 mm), counting headrails and legs.

NOTE: The Balance System only applies for installation between walls.




The best digital printing technology with the resistance qualities of Compact high pressure laminate.



Ensure microbe-free urinal partitions.

2

Balance System Composition



*This image shows a scale prototype. It does not represent actual size.



antimicrobial


Our wide range of HPL contains antimicrobial agents coated on glass beads eliminating the possibility of leaching or unintentional contamination.

More info here



3 AL Plus System

- Toilet partition system made of our 0,47'' (12 mm) Compact HPL.
- Uses aluminum fabricated hardware.
- The system has an aluminum upper profile.
- It has an open / closed lock indicator and pin lock. It is hinged to allow an 90° door opening.
- Each cabin has a hanger and an interior door overlap for privacy.
- The cabin has a headrail anchored to the wall and adjustable support legs attached to the floor to give greater stability.
- This system has a standard height of 6' 11'' (2100 mm), counting support legs.




Did you know that microbes can double in as fast as 20 minutes, increasing the probability of bad odors due to their presence?



Create unique, microbe-free spaces.

3

AL Plus System Composition



*This image shows a scale prototype. It does not represent actual size.



antimicrobial

Our wide range of HPL contains antimicrobial agents coated on glass beads eliminating the possibility of leaching or unintentional contamination.

More info here





Take your toilet partitions to a new level of design, customizability and durability. Available in any of our three systems: Standard, Balance and AL Plus.



Enhance branding & messaging



Consistency of print & finish quality



Antimicrobial



Allow your customers to experience your brand with you in control of the surface color and imagery





(440) 248-0000

6655 parkland boulevard
 solon, ohio 44139
 (440) 519-1950 fax
www.surfacematerials.com



* Please ask for our certified references.

The mark of responsible forestry
FSC C116247

